



Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Drift

PD-58738

**PRODUCT DESCRIPTION**


The natural wood finish and linear form perfectly express the tension of minimalist design. LED modules are stationed from end to end and diffused through a strip of tempered, sanded glass, which spreads the light evenly and prevents any glare or hot spots. With its versatile shape and different lengths, Drift translates across a variety of applications, from residential to commercial office, with ease.

**FEATURES**

- 277V option available for special order.
- Transformer concealed within the canopy
- Solid walnut wood
- Tempered glass diffuser with sanded surface
- End-to-end LED modules for even illumination
- Unique wood grain
- Can be mounted on a sloped ceiling

**SPECIFICATIONS**

Rated Life	80000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120 VAC, 50/60Hz
Dimming	ELV
Color Temp	3000K
CRI	90
Construction	Aluminum hardware with solid wood



PD-58738

**REPLACEMENT PARTS**

RPL-GLA-58738 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-58738 38"	3000K 3000K	DW Dark Walnut WAL Walnut	44W 44W	1736 1736	770 770

Example: **PD-58738-WAL**

•For 277V special order, add an "F" before the finish: PD-58738F-DW

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Drift

PD-58756

**PRODUCT DESCRIPTION**

The natural wood finish and linear form perfectly express the tension of minimalist design. LED modules are stationed from end to end and diffused through a strip of tempered, sanded glass, which spreads the light evenly and prevents any glare or hot spots. With its versatile shape and different lengths, Drift translates across a variety of applications, from residential to commercial office, with ease.

**FEATURES**


- 277V option available for special order.
- Transformer concealed within the canopy
- Solid walnut wood
- Tempered glass diffuser with sanded surface
- End-to-end LED modules for even down illumination
- Unique wood grain
- Can be mounted on a sloped ceiling

**SPECIFICATIONS**

Rated Life	80000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120 VAC, 50/60Hz
Dimming	ELV
Color Temp	3000K
CRI	90
Construction	Aluminum hardware with solid wood

**REPLACEMENT PARTS**

RPL-GLA-58756 - Glass



PD-58756

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-58756 56"	3000K 3000K	DW Dark Walnut WAL Walnut	74W 74W	2810 2810	1113 1113

Example: **PD-58756-WAL**

•For 277V special order, add an "F" before the finish: PD-58756F-WAL

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Drift

PD-58784

**PRODUCT DESCRIPTION**

The natural wood finish and linear form perfectly express the tension of minimalist design. LED modules are stationed from end to end and diffused through a strip of tempered, sanded glass, which spreads the light evenly and prevents any glare or hot spots. With its versatile shape and different lengths, Drift translates across a variety of applications, from residential to commercial office, with ease.

**FEATURES**


- 277V option available for special order.
- Transformer concealed within the canopy
- Solid walnut wood
- Tempered glass diffuser with sanded surface
- End-to-end LED modules for even illumination
- Unique wood grain
- Can be mounted on a sloped ceiling

**SPECIFICATIONS**

Rated Life	80000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120 VAC, 50/60Hz
Dimming	ELV
Color Temp	3000K
CRI	90
Construction	Aluminum hardware with solid wood

**REPLACEMENT PARTS**

RPL-GLA-58784 - Glass



PD-58784

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-58784 84"	3000K 3000K	DW Dark Walnut WAL Walnut	96W 96W	3840 3840	1630 1630

Example: **PD-58784-WAL**

•For 277V special order, add an "F" before the finish: PD-58784F-WAL

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)