

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Brink Bathroom Sconce

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-77612 12"	2700K 90	10.5W	863	779	AL Brushed Aluminum
	3000K 90	10.5W	905	791	BK Brushed Black
	3500K 90	10.5W	935	840	BR Brushed Brass

Example: **WS-77612-27-AL**

### DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

### FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

### SPECIFICATIONS


<b>Color Temp:</b>	3500K, 3000K, 2700K
<b>Input:</b>	120-277 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 5%
<b>Rated Life:</b>	85000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, Energy Star 2.0 Damp Location Listed
<b>Construction:</b>	Aluminum hardware with co-extruded acrylic diffuser



### FINISHES



### LINE DRAWING



**WS-77612**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Brink Bathroom Sconce

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-77618 18"	2700K 90	15.5W	1155	910	AL Brushed Aluminum
	3000K 90	15.5W	1225	1015	BK Brushed Black
	3500K 90	15.5W	1330	1115	BR Brushed Brass

Example: **WS-77618-27-AL**

### DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

### FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

### SPECIFICATIONS


<b>Color Temp:</b>	3500K, 3000K, 2700K
<b>Input:</b>	120-277 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 5%
<b>Rated Life:</b>	85000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, Energy Star 2.0 Damp Location Listed
<b>Construction:</b>	Aluminum hardware with co-extruded acrylic diffuser



### FINISHES



### LINE DRAWING



**WS-77618**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Brink Bathroom Sconce

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-77624 24"	2700K 90	20.5W	1595	1330	AL Brushed Aluminum
	3000K 90	20.5W	1720	1440	BK Brushed Black
	3500K 90	20.5W	1785	1510	BR Brushed Brass

Example: **WS-77624-27-AL**

### DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

### FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

### SPECIFICATIONS

<b>Color Temp:</b>	3500K, 3000K, 2700K
<b>Input:</b>	120-277 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 5%
<b>Rated Life:</b>	85000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, Energy Star 2.0 Damp Location Listed
<b>Construction:</b>	Aluminum hardware with co-extruded acrylic diffuser




### FINISHES



Brushed Aluminum    Brushed Black    Brushed Brass

### LINE DRAWING



**WS-77624**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Brink Bathroom Sconce

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-77636 36"	2700K 90	30W	2365	1985	AL Brushed Aluminum
	3000K 90	30W	2445	2095	BK Brushed Black
	3500K 90	30W	2561	2180	BR Brushed Brass

Example: **WS-77636-27-AL**

### DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

### FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

### SPECIFICATIONS


<b>Color Temp:</b>	3500K, 3000K, 2700K
<b>Input:</b>	120-277 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 5%
<b>Rated Life:</b>	85000 Hours
<b>Mounting:</b>	Can be mounted on wall in all orientations
<b>Standards:</b>	ETL, cETL, Energy Star 2.0 Damp Location Listed
<b>Construction:</b>	Aluminum hardware with co-extruded acrylic diffuser



### FINISHES



### LINE DRAWING



**WS-77636**